

Healthcare Provider: Daniel T. Johnston, MD, MPH

Office Address: 2671 Avenir Place, Suite 2123
Vienna, VA 22180

Office Phone Number: (800) 535-1518

Date of Assessment: 7/12/17

Lab Processing Date: 7/16/17

Barcode ID: BRP-00100

Patient Name: John Doe

BrainSpan™ Cell Health Assessment

All diseases are disturbances at the cellular level. To treat disease, we must understand its cause. To understand the cause of a disease, we must understand the alterations that occur at the level of individual cells. – Yale School of Medicine

Your BrainSpan results provide you with some of the most important numbers in determining the health of your cells. The health of your cells dictate the health and function of your entire brain and body. This report quantifies specific nutrients in your cells called essential fatty acids (EFAs). These fatty acids have many important roles in protecting and optimizing the health of your brain and body. Your brain is 60% fat and most of that is from an Omega-3 fatty acid called DHA. DHA promotes new neuron growth – a process called neurogenesis that should continue throughout adulthood. Omega-3 and Omega-6 fatty acids also regulate your metabolism and inflammation throughout your body.


Most Americans have major imbalances driven by dietary, genetic, and cultural factors. These imbalances largely go unrecognized and increase your risk of many preventable chronic diseases such as dementia and heart disease. A recent study by Harvard School of Public Health linked these fatty acid imbalances to over 50 diseases contributing to 96,000 preventable deaths per year. Without measuring and tracking, you are in the dark when it comes to the health of your cells – the foundational building blocks of your entire brain and body.


Additionally, this assessment measures the functional performance of your brain cells (neurons). You performed several cognitive challenges that compared your memory, attention, and processing speed to a carefully screened control group of your same age and gender using the *Brain Resource International Database®* (the world's largest, standardized, normative brain health database). This provides you with a brain function baseline. Tracking your scores annually can provide you with early detection of small changes that may be quickly rectified with nutritional and lifestyle interventions.

Your Projected Cell Aging Trajectory*

*Your projected Cell Aging Trajectory Score is based on your current results from your blood cell test and brain function assessment.

Each index score has been weighted based on relevant scientific literature regarding age-related cell degeneration and cognitive decline. Research shows that maintaining all of your index scores in the "green zone" lowers your risk of cognitive decline and helps prevent chronic inflammatory diseases like Alzheimer's Disease and heart disease.






YOUR OMEGA-3 INDEX:

The human brain is nearly 60 percent fat with the majority being Omega-3 fatty acids. These are the building blocks of the brain and are crucial molecules that determine the brain's integrity and ability to perform. Omega-3s cannot be made by your body, so it is critical to obtain them by eating fish or taking fish oil. However, when it comes to Omega-3s, the most important factor is how much is being absorbed by your blood cells.

Consistently measuring your Omega-3 Index is the only way to maintain optimal levels. An Omega-3 Index over 8% is associated with improved memory, attention, learning, mood stability, faster recovery from concussion as well as lower anxiety, depression, and inflammation. Additionally, tracking your Omega-3 Index over time is one of the most important ways to help prevent alzheimer's disease, cognitive decline, and cardiovascular disease. Omega-3s are to your brain cells what calcium is to your bones; or what protein is to your muscles.

RESEARCH & ASSOCIATED CONDITIONS:

The graph below shows how your Omega-3 Index compares to current research studies.




PERSONALIZED RECOMMENDATIONS:
To achieve an Omega-3 Index above 8% within 3 months, you will need to do one of the following:


Eat a 3 oz. serving of oily fish (Salmon, Herring, Bluefin) at least 2 times per day

or


Take a high quality Omega-3 supplement with 3,000 milligrams of combined EPA & DHA per day

Ask your doctor to recommend a quality Omega-3 supplement that has demonstrated a high level of cellular absorption. The most important factor is how much EPA and DHA is absorbed into your blood cells. How it gets there (fish or supplements) really doesn't matter, as long as its absorbed. ONLY choose high quality Omega-3 supplements with both EPA & DHA (from fish). Omega-3 supplements with ALA (from plants) will have little effect improving your cell health or your Omega-3 Index. See Appendix A of this report for information on how to choose quality Omega-3 supplements.



YOUR CELL INFLAMMATION BALANCE:


The majority of people in the United States have major imbalances in fatty acids due to the way we eat and grow our food. We have a significant deficiency of Omega-3s (from fish) in our diet and a significant excess of Omega-6s (from corn, soy, vegetable oils, and processed foods).

The fatty acids in your cell membrane are a reflection of the average fatty acids in your diet over the last 90 days. However, Omega-6s tend to increase inflammation whereas Omega-3s tend to decrease inflammation. Balancing these fatty acids is foundational to properly regulating your body's inflammatory response.





Everyone should track their dietary balance of pro-inflammatory Omega-6s to anti-inflammatory Omega-3s. A ratio of 6 or less Omega-6s to every 1 Omega-3 is essential to properly balancing inflammation, modulating pain receptors, and regulating immune system function.


RESEARCH & ASSOCIATED CONDITIONS:

The graph below shows how your AA (Omega-6) to EPA (Omega-3) Ratio compares to current research studies.



PERSONALIZED RECOMMENDATIONS:
To Improve your Cell Inflammation Index within 3 months, you will need to do the following:

 <p>Nutritional supplements like boswellia serrata and curcumin inhibit Omega-6 inflammatory pathways and help balance inflammation.</p>	 <p>Processed foods are high in pro-inflammatory Omega-6s. Reducing these foods will help balance your inflammation ratio.</p>	 <p>Grass fed meat is higher in Omega-3s. Grain fed meat is high in Omega-6s. Eating grass fed meat will improve your ratio.</p>	 <p>Replace commonly used vegetable oils with healthier alternatives such as olive, macadamia nut, or high-oleic sunflower oils.</p>
---	---	--	---



YOUR CELL TOXICITY INDEX:


Excessive palmitic acid (usually from a diet high in simple carbohydrates) is associated with fatty acid alterations within the cell that can suppress the proper signaling of hormones critical to weight management (leptin and insulin). Maintaining optimal palmitic acid levels increases leptin signaling, which improves your brain's regulation of your metabolism, increases your energy, and keeps your body in fat burning mode.

Your brain communicates with your fat cells throughout your body using leptin signaling. Similar to how a thermostat turns on and off the air to keep the temperature in your house stable, leptin communicates to your cells to burn or store fat.

When proper leptin signaling occurs, the brain properly stimulates a feeling of “full”, increases energy, and starts burning body fat. When leptin signaling is suppressed, the brain stays in “hungry” mode, lowers energy output, and stores body fat.


RESEARCH & ASSOCIATED CONDITIONS:

The graph below shows how your palmitic acid level may be affecting your leptin signaling.



PERSONALIZED RECOMMENDATIONS:
To Improve your Cell Toxicity Index within 3 months, you will need to do the following:

 <p>Supplements such as coenzyme Q10 & chromium encourage healthy blood sugar by improving carbohydrate metabolism</p>	 <p>Reduce your consumption of simple carbs (sugars) so they don't convert to palmitic acid and store up in your cells.</p>	 <p>Eat smaller, low glycemic, high protein meals more frequently throughout the day to stabilize your blood sugar production.</p>	 <p>Increase exercise so that your body uses more calories and does not convert as much glucose to palmitic acid for storage.</p>
---	--	---	--



What This Score Means to You

On the memory capacity test, you scored a 5.3 out of 10 based on your age and gender. This is considered to be in the EXPECTED range.


Working memory is the process whereby your brain is able to temporarily store information in the moment and recall it when you need it.

Poor working memory may be associated with nutritional deficits in the cells of the hippocampus – the part of the brain that stores memories.

Poor working memory scores may suggest brain cell nutrient deficiencies, inflammation, insufficient neuronal connections, or poor quality sleep.

How to Improve Your Memory Capacity

- ✓ Getting all three of your blood cell biomarkers into the green zone can optimize your working memory.
- ✓ Phosphatidylserine has been shown to enhance memory for words, faces, names, and numbers, and supports brain health across the lifespan.
- ✓ Quality sleep is necessary to consolidate memories so that they can be recalled in the future.
- ✓ Vitamin D – research shows that memory declines up to 300% faster in individuals with low levels of vitamin D. Only use a quality supplement with high cellular absorption.
- ✓ Aerobic exercise has been shown to boost the size of the hippocampus, the brain area involved in memory.
- ✓ Sage is excellent for better brain functioning and boosting memory recall.



What This Score Means to You

On the sustained attention test, you scored a 4.3 out of 10 based on your age and gender. This is considered to be in the LOW range.

To efficiently sustain your attention and 'tune out' competing distractions, your brain must produce specific neurotransmitters. However, your brain requires adequate nutrients to create these neurotransmitters.

Attentional problems may be associated with deficiencies in the pre-frontal region of the brain, which controls selective attention, impulsivity, and motivation. These impairments may be caused from nutrient deficiencies, stress, or inflammation.

How to Improve Your Sustained Attention

- ✓ Getting all three of your blood cell biomarkers into the green zone can optimize your sustained attention.
- ✓ Consume a good amount of protein each day. Proteins contain the amino acids that your brain needs in order to create dopamine and improve attention.
- ✓ Vitamin B6 with Magnesium supports attention by helping your brain cells to produce key neurotransmitters vital to sustaining attention.
- ✓ Sleep quality and quantity is essential to sustained attention.
- ✓ Zinc provides the brain with antioxidant protection and helps produce the sleep hormone melatonin. Zinc has consistently enhanced attention and behavior in clinical trials.
- ✓ Cinnamon has been shown to help attention and it helps regulate blood sugar.



What This Score Means to You


On the cognitive flexibility test, you scored a 5 out of 10 based on your age and gender. This is considered to be in the EXPECTED range.

Cognitive flexibility is your capacity to rapidly adapt your thinking based on new information and not get stuck in compulsive behavior. Your brain must be able to reorganize itself by forming new neural connections.

Poor cognitive flexibility scores may be due to a decreased production of the neurotransmitters serotonin and GABA.

How to Improve Cognitive Flexibility

- ✓ Getting all three of your blood cell biomarkers into the green zone can optimize your cognitive flexibility.
- ✓ Meditation – research has shown that mindfulness meditation can significantly enhance cognitive flexibility.
- ✓ Probiotics support gut microbiome function and optimize the production of neurotransmitters Serotonin and GABA, which help support cognitive flexibility.
- ✓ 5-HTP is a metabolite naturally made in the brain, is converted to serotonin as needed to promote positive mood, relaxation, and quality sleep.
- ✓ Vitamin B12 with Folate is essential for structural integrity of the brain and spinal cord. They produce neurotransmitters and key enzymes that improve overall cognitive skills.



What This Score Means to You

On the processing speed test, you scored a 5.5 out of 10 based on your age and gender. This is considered to be in the EXPECTED range.

Processing speed is the pace at which you take in information, make sense of it and begin to respond. It has nothing to do with how smart you are -- just how fast you can take in and use information.

Slow processing speed is associated with inefficient connections in the brain's gray matter. These weak connections may be due to nutrient deficiencies in brain cells, limited production of vital neurotransmitters, chronic stress, lack of quality sleep, and toxins in your diet (such as refined sugars and processed foods).

How to Improve Processing Speed

- ✓ Getting all three of your blood cell biomarkers into the green zone can optimize your processing speed.
- ✓ Curcumin (Turmeric) keeps your brain sharp under pressure. It has also been shown to decrease plaques in the brain linked to Alzheimer's disease.
- ✓ Ginkgo Biloba & Acetyl-L-Carnitine have been shown to enhance cognition in healthy individuals as well as those with age related cognitive impairment.
- ✓ L-Tyrosine can increase the production of neurotransmitters that are essential for the brain's functions such as processing speed, problem solving, and making decisions.
- ✓ A recent study showed that one particular type of brain exercise - called "speed training" can increase processing speed and even significantly reduce the risk of developing dementia.

REFERENCES

1. Higher level of certain fatty acid associated with lower dementia risk. Schaefer et al. *JAMA Neurology*, 2006;63:1527-1528
2. Red Blood Cell Omega-3 Fatty Acid Levels and Markers of Accelerated Brain Aging. Tan ZS, Harris WS, Beiser AS, et al. *Neurology* 2012;78:658-664.
3. Zhang J, Sasaki S, Amano K, Kesteloot H. Fish consumption and mortality from all causes, ischemic heart disease, and stroke: an ecological study. *Prev Med* 1999;28:520-9.
4. Higher Omega-3 Index score is associated with a larger volume of grey matter in the memory region of the brain. Pottala et al. *Neurology* 2014 Jan; 10.1212/WNL
5. Increased cell levels of EPA/DHA improved memory scores in healthy young adults. Stonehouse et al. *American J. of Clinical Nutrition*, 2013;97:1134-1143
6. The level of DHA in children's blood cells significantly predicts their ability to concentrate & learn at school. Montgomery et al. *PLoS ONE*, 2013; 8:e66697
7. Low Omega-3 fatty acids in red blood cells associated with aggressive and ADHD behaviors. Meyer et al. *PLoS ONE*, 2015;10(6)
8. Association between Blood Omega-3 Index and Cognition in Typically Developing Dutch Adolescents. Van der Wurff IS, von Schacky C, Berge K, Zeegers MP, Kirschner PA, de Groot RH; *Nutrients*. 2016 Jan 2;8(1). pii: E13.
9. Omega-3 DHA and EPA for cognition, behavior and mood: Clinical findings and structural-functional synergies with cell membrane phospholipids. Kidd, P. M. *Alternative Medicine Review*, 2007;12, 207-227
10. A meta-analytic review of double-blind, placebo-controlled trials of antidepressant efficacy of omega-3 fatty acids. Lin PY1, Su KP., *J Clin Psychiatry*. 2007 Jul;68(7):1056-61
11. Are omega-3 fatty acids antidepressants or just mood-improving agents? The effect depends upon diagnosis, supplement preparation, and severity of depression. Lin PY, Mischoulon D, Freeman MP, Matsuoka Y, Hibbeln J, Belmaker RH, Su KP. *Molecular Psychiatry*. 2012 Dec;17(12):1161-3
12. Omega-3 fatty acids improve recovery, whereas omega-6 fatty acids worsen outcome, after spinal cord injury in the adult rat. King VR1, Huang WL, Dyall SC, Curran OE, Priestley JV, Michael-Titus AT. *Journal of Neuroscience*, 2006;26(17):4672-80.
13. The effect of fatty or lean fish intake on inflammatory gene expression in peripheral blood mononuclear cells of patients with coronary heart disease. De Mello VD, Erkkilä AT, Schwab US, et al. *Eur J Nutr*. 2009 Dec;48(8):447-55.
14. The omega-6/omega-3 fatty acid ratio, genetic variation, and cardiovascular disease. Simopoulos AP. *Asia Pac J Clin Nutr*. 2008;17 Suppl 1:131-4.
15. Promotion of prostatic metastatic migration towards human bone marrow stroma by Omega 6 and its inhibition by Omega 3 PUFAs. M D Brown1, C A Hart1, E Gazi1, S Bagley2 and N W Clarke. *British Journal of Cancer* (2006) 94, 842-853.
16. A high Omega-3 Index may provide effective pain relief for people with chronic musculoskeletal pain. Cleland et al. *Nutrition & Dietetics*. 2009;66:4-6
17. Higher Omega-3 levels could reduce the incidence of neck and back pain and reduce the need for medication. Lembke et al. *J Sports Sci Med*. 2014 Jan;13(1):151-156
18. Omega-3 Fatty Acids in Inflammation and Autoimmune Diseases. Simopoulos AP. *J Am Coll Nutr*. 2002 Dec;21(6):495-505.
19. Bailes JE1, Mills JD. Docosahexaenoic acid reduces traumatic axonal injury in a rodent head injury model. *Journal of Neurotrauma*. 2010 Sep;27(9):1617-24.
20. Mills JD1, Hadley K, Bailes JE. Dietary supplementation with the omega-3 fatty acid docosahexaenoic acid in traumatic brain injury. *Neurosurgery*. 2011 Feb;68(2):474-81; discussion 481.
21. Omega-3 fatty acids in health and disease and in growth and development. Simopoulos AP. *Am J Clin Nutr*. 1991 Sep;54(3):438-63.
22. The importance of the omega-6/omega-3 fatty acid ratio in cardiovascular disease and other chronic diseases. Simopoulos AP. *Exp Biol Med (Maywood)*. 2008 Jun;233(6):674-88. doi: 10.3181/0711-MR-311. Epub 2008 Apr 11.
23. University of Maryland Medical Center. <http://www.umm.edu/health/medical/altmed/supplement/omega-3-fatty-acids>
24. Connecting leptin signaling to biological function. MB Allison, MG Myers. Departments of Internal Medicine, and Molecular and Integrative Physiology, University of Michigan. *J Endocrinol*. 10/1/14; 223 T25-T35.
25. Palmitic acid mediates hypothalamic insulin resistance by altering PKC-θ subcellular localization in rodents. Benoit et al. *J Clin Invest*. 2009;119(9):2577-2589. doi:10.1172/JCI36714.
26. Nutritional and insulin regulation of fatty acid synthetase and leptin gene expression through ADD1/SREBP1. Kim et al. *J Clin Invest*. 1998 Jan 1; 101(1): 1-9.
27. Effects of Step-Wise Increases in Dietary Carbohydrate on Circulating Saturated Fatty Acids and Palmitoleic Acid in Adults with Metabolic Syndrome. Brittanie et al. *PLoS One*. 2014; 9(11): e113605.
28. Should dietary SFA be exchanged for linoleic acid? Frits AJ Muskiet. *Am J Clin Nutr*. doi: 10.3945/ajcn.112.044990 October 2012 vol. 96 no. 4 944-945

Healthcare Provider: Daniel T. Johnston, MD, MPH

Office Address: 2671 Avenir Place, Suite 2123
Vienna, VA 22180

Office Phone Number: (800) 535-1518

Date of Assessment: 7/12/17








Lab Processing Date: 7/16/17

Barcode ID: BRP-00100

Patient Name: John Doe

Your results below quantify the health of the trillions of cells in your body and the functional performance of your brain. Getting to the "green zone" in each index below and staying there as you age, increases your resilience and optimizes the performance of every organ system in your body, including your brain function. Based on your assessment, your health care provider has provided the below nutritional recommendations to improve your scores and support your optimal cell health. Additionally, you can track your cell health and brain function over time to be sure you are living in the green and aging optimally.

Assessment Summary & Lifestyle/Nutritional Recommendations

Test/Description	Score History	Current Score	Lifestyle/Nutritional Recommendations	
 <p>Omega-3 Index % EPA/DHA in Cell Membrane</p> <ul style="list-style-type: none"> - Memory/Focus/Mood - Risk of Dementia/Stroke/CVD - Concussion Resilience 		7/12/17 3.8% POOR RANGE	<p>Biomega-3 Liquid 1 tsp/day (liquid) or as directed</p> <p>or</p> <p>Biomega-3 Capsules 3 softgels/day or ad directed</p> <p><i>Biomega-3 has demonstrated the highest level of cellular absorption. Based on your blood test results, you will need to take 1,000 mg of EPA/ DHA per day to maintain your Omega-3 Index in the "green zone".*</i></p>	
 <p>Cell Inflammation Balance Omega-6 to Omega-3 Ratio</p> <ul style="list-style-type: none"> - Inflammatory Response - Immune Function - Pain Response 		24:1 POOR RANGE	<p>Bio-Allay (Boswellia) 2 capsules 2 x's/day or as directed</p> <p><i>Boswellia blocks specific enzymes involved in the metabolic pathway leading to inflammation.*</i></p>	<p>Curcumin Rx 2 capsules/day or as directed</p> <p><i>Curcumin inhibits the arachidonic acid (Omega-6) inflammatory pathways.*</i></p>
 <p>Cell Toxicity Index Excess Palmitic Acid Levels</p> <ul style="list-style-type: none"> - Energy/Metabolism - Fat Burning Management - Risk of Metabolic Syndrome 		24% ABOVE OPTIMAL RANGE	<p>Whey Protein Concentrate Take as directed</p> <p><i>Replace high carb processed foods with a low-glycemic protein meal replacement.*</i></p>	<p>Coenzyme Q10 & Chromium Take as directed</p> <p><i>Encourages healthy blood sugar with essential nutrients involved in carbohydrate metabolism.*</i></p>
 <p>Memory Capacity</p> <p>On the memory capacity test, you scored a 5.3 out of 10 based on your age and gender. This is considered to be in the EXPECTED range.</p>		5.25 NORMAL RANGE	<p>Bio-D-Mulsion Forte® 1 dropley or as directed</p> <p><i>Research shows that memory declines two to three times faster in individuals with low levels.*</i></p>	<p>Phosphatidylserine 1 softgel/day or as directed</p> <p><i>Shown to enhance memory for words, faces, and numbers. Also supports general brain health.*</i></p>
 <p>Sustained Attention</p> <p>On the sustained attention test, you scored a 4.3 out of 10 based on your age and gender. This is considered to be in the LOW range.</p>		4.25 BELOW AVG. RANGE	<p>Mg-Zyme™ (magnesium) & B6 200-400 mg/day or as directed</p> <p><i>Supports brain cells in producing vital neurotransmitters needed for sustaining attention.*</i></p>	<p>Zn-Zyme Forte™ (Zinc) 25mg/day or as directed</p> <p><i>Provides antioxidant protection and has consistently enhanced attention in clinical trials.*</i></p>
 <p>Cognitive Flexibility</p> <p>On the cognitive flexibility test, you scored a 5 out of 10 based on your age and gender. This is considered to be in the EXPECTED range.</p>		5 NORMAL RANGE	<p>BioDoph-7 Plus® (Probiotic) 1 capsule 2 x's/day or as directed</p> <p><i>Supports gut microbiome function which optimizes the production of Serotonin and GABA.*</i></p>	<p>Mood Enhancer™ 1 capsule/day or as directed</p> <p><i>Promotes serotonin synthesis, which enhances positive mood, relaxation, and quality sleep.*</i></p>
 <p>Processing Speed</p> <p>On the processing speed test, you scored a 5.5 out of 10 based on your age and gender. This is considered to be in the EXPECTED range.</p>		5.5 NORMAL RANGE	<p>Cognitive Enhancer™ 1 capsule 2 x's/day or as directed</p> <p><i>Increases production of acetylcholine, which is essential for the brain's processing functions.*</i></p>	<p>B12/Folate Plus™ 1 capsule 3 x's/day or as directed</p> <p><i>Essential for structural integrity of the brain and spinal cord as well as improving overall cognitive skills.*</i></p>

*This statement has not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.